

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An electronic presentation system comprising:

~~network Ethernet communication means which transmits a framed packet signal with an overhead including an address code;~~

a first image and voice display means ~~having its own address code~~ connected to said communication means in which display control and communication control through said communication means are controlled by remote control means; and

a personal computer, ~~having its own address code~~, provided with a second image and voice display means connected to said communication means and different from said first image and voice display means placed in a position different from the position placing said first image and voice display means, and input means;

wherein said remote control means captures the display contents displayed by said personal computer on said second image and voice display means to display said captured display contents on said first image and voice display means at the same time ~~by communicating through said communication means.~~

2. (original): The electronic presentation system according to claim 1, wherein said remote control means comprises a remote control transmitter sending a sending signal of a code

corresponding to a depressed button and means for converting said sending signal of said remote control transmitter to a communication signal of said communication means and sending the communication signal;

wherein said personal computer comprises means for converting said sending signal of said remote control transmitter sent through said communication means to a signal equivalent to the output signal of the input means provided in said personal computer, means for selecting the previously created display contents displayed on said second image and voice display means, by said converted signal equivalent to the output signal of said input means, and means for converting a display signal of said selected display contents displayed on said second image and voice display means to a communication signal of said communication means at the same time and sending the communication signal;

wherein said remote control means further comprises means for sending the display signal of said second image and voice display means sent through said communication means to said first image and voice display means.

3. (original): The electronic presentation system according to claim 2, wherein the selection of the previously created display contents displayed on said second image and voice display means, done by the signal equivalent to said converted output signal of said input means is executed by basic software installed in said personal computer and application software operated under said basic software and used to previously create said display contents.

4. (original): The electronic presentation system according to claim 2, wherein said communication means is a wired communication system.

5. (original): The electronic presentation system according to claim 2, wherein said communication means is a wireless communication system.

6. (previously presented): The electronic presentation system according to claim 1, wherein said personal computer provided with a second image and voice display means is remotely connected.

7. (currently amended): An electronic presentation system comprising:

~~a an Ethernet communications network which transmits a framed packet signal with an overhead including an address code;~~

a remote control device;

~~a first image and voice display device having its own address code connected to said communications network in which the display control and communications control and control functions of the said first image and voice display device are performed transmitted via said communications network by the are controlled by said remote control device via the said communications network; and~~

~~a personal computer, having its own address code, provided with a second image and voice display device,~~

wherein and said personal computer is connected to said communications network; and

wherein said remote control device captures the display contents on said personal computer to be displayed on said first image and voice display device and said second image and voice display devices device by communicating through said communications network.

8. (previously presented): The electronic presentation system according to claim 7, wherein said personal computer provided with a second image and voice display device is remotely connected.

9. (previously presented): The electronic presentation system according to claim 7, wherein said remote control device comprises a remote control transmitter, remote control signal reception unit connected to said communications network and said personal computer with presentation software connected to said communications network;

wherein said remote control transmitter sends a signal of a code corresponding to a depressed button on said remote control transmitter to said remote control signal reception unit which then transmits said code via said communications network;

wherein said personal computer with presentation software converts said code of said remote control signal reception unit sent through said communications network to a signal equivalent to the output signal of the input device or devices provided in said personal computer, selects the previously created display contents displayed on said second image and voice display device by said converted signal equivalent to the output signal of said input device or devices, converts said selected display contents displayed on said second image and voice display device to a communication signal of said communications network and sends the said communication signal via said communications network to said first image and voice display device.

10. (previously presented): The electronic presentation system according to claim 9, wherein the selection of the previously created display contents displayed on said second image and voice display device done by the signal equivalent to said converted output signal of said

input device or devices is executed by basic software installed in said personal computer and application software operated under said basic software and used to previously create said display contents.

11. (previously presented): The electronic presentation system according to claim 9, wherein said communications network is a wired communication system.

12. (currently amended): The electronic presentation system according to claim 9, wherein said communications network is a wireless communication system.

13. (canceled).

14. (canceled).

15. (new): A projector comprising:

an Ethernet interface device;

a remote control signal receiving device for accepting signals from a remote control transmitter; and

an image and audio presentation device, communicating with said Ethernet interface device, in which display control and communications control transmitted via said Ethernet interface device are controlled by said remote control transmitter,

wherein said remote control transmitter captures display contents, on a remote personal computer communicating with said Ethernet interface device, to be displayed on said image and audio presentation device and said remote personal computer.

16. (new): The projector of claim 15, comprising:

at least one communications port for accepting said Ethernet interface device.

17. (new): A computer comprising:

an Ethernet interface device;

a remote control signal receiving device for accepting signals from a remote control transmitter;

an image and audio presentation device, communicating with said Ethernet interface device, in which display control and communications control transmitted via said Ethernet interface device are controlled by said remote control transmitter; and

wherein said remote control transmitter captures display contents, on a remote personal computer communicating with said Ethernet interface device, to be displayed on said image and audio presentation device and said remote personal computer.

18. (new): The computer of claim 17, comprising:

at least one communications port for accepting said Ethernet interface device.

19. (new): The computer of claim 17, wherein the computer is a personal computer.

20. (new): A method of presenting image and audio data, comprising:

providing a remote development device for creating presentation data packets from presentation data;

providing an image and audio presentation device capable of communicating with the remote development device through an Ethernet interface;

providing a remote control transmitter communicating with said image and audio presentation device, which converts transmitted signals from said remote control transmitter into remote control data packets;

sending the remote control data packets, which correspond to display control and communications control, to said remote development device from said image and audio presentation device via said Ethernet interface;

receiving from said remote development device by said image and audio presentation device via said Ethernet interface the presentation data packets, wherein the presentation data packets correspond to said remote control data packets, and

presenting display contents, corresponding to said presentation data packets, on said image and audio presentation device.

21. (new): A computer readable storage medium recording a program to be executed by a presentation computer for presenting image and audio data, said program comprising:

a procedure for sending remote control data packets, which correspond to display control and communications control, to a remote computer via an Ethernet interface;

a procedure for receiving from said remote computer via said Ethernet interface presentation data packets, wherein the presentation data packets correspond to said remote control data packets, and

a procedure for presenting display contents, corresponding to said presentation data packets, on said presentation computer.

22. (new): A computer readable storage medium recording a program to be executed by a preparation computer for preparing image and audio data requested by a presentation computer, said program comprising:

a procedure for receiving remote control data packets, corresponding to display control and communications control, from the presentation computer via an Ethernet interface; and

a procedure for sending to said presentation computer via said Ethernet interface presentation data packets,

wherein the presentation data packets correspond to said remote control data packets and represent display contents to be displayed on said presentation computer.